




Elegant and Pure: HOPPE Mini Roses

# For all HOPPE Door and Window Handles ...





#### **HOPPE - Series with Mini Roses**



#### **ARRONE - Magnetic Locks**



**AR3313** page 22



= Brass

ARRONE Finish Chart page 25

## Quick-Fit

#### **Purism in the Details: HOPPE Mini Roses**

Mini roses show door handles in a completely new light. They are hardly noticeable on the door. As a result, the handle itself becomes more prominent, creating a fascinating interplay between the handle and the door.

Interior door sets with mini roses are available in aluminium, stainless steel and brass. A standard door set consists of a pair of door handles and the matching handle roses. Escutcheons, which are also available in a special version for bathroom doors, can be added if required.

All sets are fitted with the patented **HOPPE Quick-Fit connection**, which enables the door handles to be assembled quickly and easily without any tools and ensures a firm fit. The key point of the proven technology is the blocking mechanism, developed by HOPPE, in the door handle receiver component. It holds the solid spindle of the other handle firmly and without play. Simply attach the mini roses and plug in the door handles – all done!

Naturally, HOPPE's interior door sets with mini roses also come with a 10-year operational guarantee.

Choose the right handle shape for you from our modern range and enjoy the pure design of door and handle.







# Amsterdam Series





## **Amsterdam Series**



### Quick-Fit


#### Amsterdam - 1400/845

dura**plus** 

HOPPE aluminium handle set on mini rose without escutcheons for interior doors:

- Bearing: loose door handles, maintenance-free slide bearing
- Connection: **HOPPE Quick-Fit connection** with HOPPE solid spindle (receiver receiver components)
- Fixing: plug-in mini roses
- Special feature: non-screw fitting

Description	d de la		F9016M	F9714M		P.U.	00
Description		H +	Art. no.	Art. no.		JF.U.	0.0.
Door handle set	35-45	8	11695766	11659130		1	10
without escutcheon							



### Amsterdam - E1400Z/845

dura**plus** 




Quick-Fit

HOPPE stainless steel handle set on mini rose without escutcheons for interior doors:

- Bearing: loose door handles, maintenance-free slide bearing
- Connection: **HOPPE Quick-Fit connection** with HOPPE solid spindle (receiver receiver components)
- Fixing: plug-in mini roses
- Special feature: non-screw fitting



Description	d d		F69	F78-1-R	F84-1-R	P.U.	
Description		<b>₩</b>	Art. no.	Art. no.	Art. no.	F.U.	0.0.
Door handle set	36-54	8	10781648			1	10
without escutcheon							
		8/8,5		11658757	11658794	1	10











### Quick-Fit


#### Dallas - 1643/845

dura**plus** 

HOPPE aluminium handle set on mini rose without escutcheons for interior doors:

- Bearing: loose door handles, maintenance-free slide bearing
- Connection: **HOPPE Quick-Fit connection** with HOPPE solid spindle (receiver receiver components)
- Fixing: plug-in mini roses
- Special feature: non-screw fitting

Description		<u> </u>	F9016M	F9714M		DII	o.c.
Description		<b>₩</b>	Art. no.	Art. no.		F.U.	0.0.
Door handle set	35-55	8	11633591	11621849		1	10
without escutcheon							



#### ■ Dallas - E1643Z/845

duraplus






HOPPE stainless steel handle set on mini rose without escutcheons for interior doors:

- Bearing: loose door handles, maintenance-free slide bearing
- Connection: **HOPPE Quick-Fit connection** with HOPPE solid spindle (receiver receiver components)
- Fixing: plug-in mini roses
- Special feature: non-screw fitting



Description		<u> </u>	F69		DII	O.C.
Description		<del>     </del>	Art. no.		F.U.	0.0.
Door handle set	36-54	8	10781656		1	10
without escutcheon						







### Quick-Fit

#### Dallas - M1643/845


dura**plus** 

HOPPE brass handle set on mini rose without escutcheons for interior doors:

- Bearing: loose door handles, maintenance-free slide bearing
- Connection: **HOPPE Quick-Fit connection** with HOPPE solid spindle (receiver receiver components)
- Fixing: plug-in mini roses
- Special feature: non-screw fitting



Description	4		F49-R	F78-1-R	F84-1-R	F96-1-R	P.U.	00
Description		<b>□</b>	Art. no.	Art. no.	Art. no.	Art. no.	F.U.	0.0.
Door handle set	30-44	8	11651994				1	10
without escutcheon								
	35-55			11717185	11717221	11717208	1	10
Description	7		F97-1-R				P.U.	00
Description		<del>-</del>	Art. no.				F.U.	0.0.
Door handle set	35-55	8	11717142				1	10
without escutcheon								





# Hamburg Series





## Hamburg Series






### Hamburg - 1700/845

duraplus

HOPPE aluminium handle set on mini rose without escutcheons for interior doors:

- Bearing: loose door handles, maintenance-free slide bearing
- Connection: **HOPPE Quick-Fit connection** with HOPPE solid spindle (receiver receiver components)
- Fixing: plug-in mini roses
- Special feature: non-screw fitting

Description		<u> </u>	F9016M	F9714M		DII	O.C.
Description		<b>i</b> ←→i	Art. no.	Art. no.		F.U.	0.0.
Door handle set	35-45	8	11879270	11879257		1	10
without escutcheon							



# Houston Series





## Houston Series



#### Houston - M1623/845


duraplus

HOPPE brass handle set on mini rose without escutcheons for interior doors:

- Bearing: loose door handles, maintenance-free slide bearing
- Connection: **HOPPE Quick-Fit connection** with HOPPE solid spindle (receiver receiver components)
- Fixing: plug-in mini roses
- Special feature: non-screw fitting



Description	4	<u> </u>	F41-R	F78-1-R	F96-1-R	F97-1-R	DII	O.C.
Description		<b>□</b>	Art. no.	Art. no.	Art. no.	Art. no.	JF.U.	0.0.
Door handle set	40-54	8	10782667	11948590	11948607	11948619	1	10
without escutcheon								





# Los Angeles Series





## Los Angeles Series



### Los Angeles - M1642/845


duraplus

HOPPE brass handle set on mini rose without escutcheons for interior doors:

- Bearing: loose door handles, maintenance-free slide bearing
- Connection: **HOPPE Quick-Fit connection** with HOPPE solid spindle (receiver receiver components)
- Fixing: plug-in mini roses
- Special feature: non-screw fitting



Description		<u>-</u>	F41-R	F49-R	F78-1-R	F84-1-R	P.U.	00
Description		<del>     </del>	Art. no.	Art. no.	Art. no.	Art. no.	JF.U.	0.0.
Door handle set	40-54	8	10782675	10782747			1	10
without escutcheon								
	35-55	8/8,5			11722423	11722526	1	10
Description			F96-1-R	F97-1-R	F9714M		P.U.	00
Description		<del>     </del>	Art. no.	Art. no.	Art. no.		F.U.	0.0.
Door handle set	40-54	8	11722447	11722405	11903016		1	10
without escutcheon								









## Macau Series



#### Macau - M1646/845


duraplus

HOPPE brass handle set on mini rose without escutcheons for interior doors:

- Bearing: loose door handles, maintenance-free slide bearing
- Connection: **HOPPE Quick-Fit connection** with HOPPE solid spindle (receiver receiver components)
- Fixing: plug-in mini roses
- Special feature: non-screw fitting



Description			F41-R	F42-R	F78-1-R	F84-1-R	P.U.	
Description		H <del></del>	Art. no.	Art. no.	Art. no.	Art. no.	F.U.	0.0.
Door handle set	40-54	8	12200724	12001466	12012063	12012087	1	10
without escutcheon								
Description	T.	<u> </u>	F96-1-R	F97-1-R			DII	O.C.
Description		<b>—</b>	Art. no.	Art. no.			JF.U.	0.0.
Door handle set	40-54	8	12001478	12012075			1	10
without escutcheon								





# Stockholm Series







#### Quick-Fit


#### Stockholm - 1140/845

dura**plus** 

HOPPE aluminium handle set on mini rose without escutcheons for interior doors:

- Bearing: loose door handles, maintenance-free slide bearing
- Connection: **HOPPE Quick-Fit connection** with HOPPE solid spindle (receiver receiver components)
- Fixing: plug-in mini roses
- Special feature: non-screw fitting

Description		<u> </u>	F9016M	F9714M		P.U.	00
Description		<b>i</b> ←→i	Art. no.	Art. no.		F.U.	0.0.
Door handle set	35-55	8	11634054	11650005		1	10
without escutcheon							



#### Stockholm - E1140Z/845

dura**plus** 






HOPPE stainless steel handle set on mini rose without escutcheons for interior doors:

- Bearing: loose door handles, maintenance-free slide bearing
- Connection: **HOPPE Quick-Fit connection** with HOPPE solid spindle (receiver receiver components)
- Fixing: plug-in mini roses
- Special feature: non-screw fitting



Description			F69		рп	O.C.
Description		<b>₩</b>	Art. no.		JF.U.	O.C.
Door handle set	36-54	8	10781630		1	10
without escutcheon						



## Door Preparation and Assembly



#### **Door Preparation**

Accurate door preparation is required since the size of the roses has been reduced to a minimum.


The hole for the handle must be 22 mm in diameter. A special drill or CNC machine is recommended for optimum results.



Door preparation for HOPPE handle sets on mini rose without escutcheons.



Door preparation for HOPPE handle sets on mini rose with escutcheons.



Door preparation for HOPPE handle sets on mini rose with emergency release and turn for bathroom/WC doors.

#### **Assembly**

The handle roses are fastened to the door by putting the door handles together thanks to the **HOPPE Quick-Fit connection**.

The M846S escutcheons just need to be plugged together. To attach the MSK91/845S/OL45 bathroom/WC roses, plug the emergency release and turn together and fasten using a grub screw. In both cases, silicone helps to keep the escutcheons fixed to the door.

Ask your HOPPE dealer for more information on M846S escutcheons and bathroom/WC roses. Selection to match the handles is available.

## **ARRONE**

#### **ARRONE – Developing and Enhancing the Product Range**

Under the ARRONE brand name, HOPPE Group offers a comprehensive range of architectural quality door and window hardware along with accessories. Many products are manufactured exclusively by leading hardware manufacturers throughout the world. Within this extensive range are door closing devices, panic and emergency exit devices, hinges, rim and mortice locks, door and pull handles, access control, signage and accessories. ARRONE products are designed and manufactured to complement the HOPPE range of aluminium, brass, stainless steel and nylon door and window hardware.

#### **Magnetic locks**

Magnetic locks are used where a protruding latch and a visible strike plate would be obtrusive. They ensure low-noise and smooth use of interior door handle sets. Above all, they impress with their flush design. When the door is open, the latch remains completely concealed in the lock case. When the door is closed, the latch springs into the strike plate of the door frame. By pushing down the handle, the latch is retracted from the striking plate and the door can be opened.

ARRONE magnetic locks perfectly complement HOPPE handles – especially those with minimalistic mini roses. A range of contemporary colours matches the handles sets, including matt black, matt white and copper finishes.



# ARRONE – Magnetic Locks







#### **AR3313**

ARRONE magnetic bathroom lock:

- Function: Deadbolt operation
- Backset: 50 mmCentre's: 96 mm
- Deadbolt: Plastic coated magnetic
- Forend/strike material: Steel
- Forend type: Single
- Forend shape: Radius
- Certification/Testing: Not applicable
- Finishes: Brushed nickel, white, black, copper, titanum

Product ref.	Article description	Finish	Article no.
4 D0040 50/00 1411D			50045550
AR3313-50/96-MNP	Magnetic mortise bathroom lock	MNP	50015576
AR3313-50/96-MNP	Magnetic mortise bathroom lock	WHT	50015588
AR3313-50/96-MNP	Magnetic mortise bathroom lock	BLK	50015595
AR3313-50/96-PVD-	Magnetic mortise bathroom lock	PVD/	50016915
COP		COP	
AR3313-50/96-PVD-	Magnetic mortise bathroom lock	PVD/	50016921
SBR		SBR	
AR3313-50/96-MNP	Magnetic mortise bathroom lock	TTM	50016933





Application: with the door in the closed position the lock bolt is drawn into the strike plate removing the need for a primary latch bolt

# Explanation of Attributes and Symbols

### **Explanation of Attributes**

Denomination	Description	Attriute	
Brand attributes	<ul><li>distinguish all HOPPE products</li><li>convey the brand promise</li></ul>	10	10-year guarantee on the mechanical operation
		**** * <b>EU</b> * ***	Made in Europe
			DIN EN ISO 14001 Environmentally-considerate manufacturing
Special attributes	underline a unique selling proposition or an essential additional benefit of the HOPPE brand product	Resista	10-year surface guarantee
		Quick-Fit	quick interlocking assembly of door handles
Product attributes	<ul> <li>present important information on a product or a benefit of the product</li> <li>are identified with the pictograms designed by HOPPE</li> </ul>	Rost	Stainless steel
		CuZn	Solid brass

### **Explanation of Symbols**

	Door thickness (in mm)
<b>→</b>	Spindle size (in mm)
dura <b>plus</b>	HOPPE divides its product range into three lines based on the customers' different requirements in price and perception of value – dura <b>vert</b> , dura <b>plus</b> and dura <b>norm</b> . dura <b>plus</b> is the medium range.



#### **HOPPE Finish Chart**

#### Aluminium



**F9016M** traffic white matt



F9714M black matt

#### Stainless steel



**F69** satin



F78-1-R light satin brass effect – Resista



F84-1-R copper-coloured satin – Resista

#### **Brass**



F41-R brushed chrome – Resista



F42-R satin nickel – Resista



F49-R polished chrome – Resista



F78-1-R natural-brass-coloured satin – Resista



F84-1-R copper-coloured satin -Resista



F96-1-R satin black – Resista



F97-1-R satin anthracite – Resista



F9714M black matt

#### **ARRONE Finish Chart**



MNP Matt nickel plated



**WHT** White



**BLK** Black



**PVD/COP** Copper



**PVD/SBR**PVD-Satine
brass



**TTM** Titanium

For technical reasons, the colour representation in product images may differ from the actual product. We do not guarantee or warrant colour accuracy of the products shown.



HOPPE Nordic Countries Oy Hyrylänkatu 8 FI-04300 Tuusula

Tel. +358 9 25 84 34 24 info.nordic@hoppe.com www.hoppe.com

## Trading partners in the Nordic Countries

Trading partner in Sweden:

BESLAGSKONSULT AB Neongatan 11

SE-431 53 Mölndal

Tel. +46 31 91 40 30 info@beslagskonsult.se www.beslagskonsult.se

Trading partner in Denmark:

KH TRADE AS

Theilgaards Allé 3A, "Den Hvide By"

DK-4600 Køge

Tel. +45 70 23 40 30 info@kh-trade.dk www.kh-trade.dk

Trading partner in Finland:

Scancerco Oy Mestarintie 13 FI-01730 Vantaa

Tel. +358 40 16 25 227 myynti@scancerco.fi www.scancerco.fi

Trading partner in Norway:

BOYESEN & MUNTHE A/S

Tvetenveien 152 NO-0671 Oslo

Tel. +47 23 34 70 00 post@boyesen-munthe.no www.boyesen-munthe.no

© HOPPE AG, All rights reserved 03/2025 (PDF)